



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/530,634	04/07/2005	Jurgen Holz	10808/231	7531
48581	7590	05/31/2007		
BRINKS HOFER GILSON & LIONE			EXAMINER	
INFINEON			CRUZ, LESLIE PILAR	
PO BOX 10395				
CHICAGO, IL 60610				
			ART UNIT	PAPER NUMBER
			2826	
			MAIL DATE	DELIVERY MODE
			05/31/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/530,634	Applicant(s) HOLZ ET AL.	
	Examiner Leslie P. Cruz	Art Unit 2826	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 March 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,5-9 and 22-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,5-9 and 22-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Minhloan Tran

Minhloan Tran
Primary Examiner
Art Unit 2826

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Acknowledgements

The amendment filed on 20 March 2007 in response to the Office Action mailed on 18 January 2007 has been entered. The present Office Action is made with all the suggested amendments being fully considered. Accordingly, pending in this Office Action are claims 1-2, 5-9 and 22-24.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2 and 9 are rejected under 35 U.S.C. 102(b) as being anticipated by Roberds (US 6,399,973 B1).

With respect to claim 1, Roberds (Figs. 1-6) discloses a field-effect transistor with local source-drain insulation, having a semiconductor substrate [16]; a source depression [30a] and a drain depression [30b], which are formed in a manner spaced apart from one another in the semiconductor substrate; a depression insulation layer [21a, 21b], which is formed at least in a bottom region of the source depression and of the drain depression; an electrically conductive filling layer [40a, 40b], which is formed for realizing source and drain regions and for filling the source and drain depressions at a surface of the depression insulation layer, wherein the electrically conductive filling layer has a seed layer [column 6 lines 11-12] for improving a

Art Unit: 2826

deposition in the source and drain depressions, the seed layer comprising silicon; a gate dielectric [14], which is formed at a substrate surface between the source and drain depressions; and a gate layer [12], which is formed at a surface of the gate dielectric, a widening [28a, 28b] with a predetermined depth for realizing defined channel connection regions.

With respect to claim 2, Roberds discloses the field-effect transistor as claimed in claim

1. Roberds (Figs. 1-6) further discloses the depression insulation layer has a depression sidewall insulation layer, which is formed in a sidewall region of the source and drain depressions but does not touch the gate dielectric.


With respect to claim 9, Roberds discloses the field-effect transistor as claimed in claim

2. Roberds (Figs. 1-6) further discloses the depression sidewall insulation layer extends into a region below the gate dielectric.

Claims 1, 5 and 6 are rejected under 35 U.S.C. 102(b) as being anticipated by Tsuchiaki (US 2001/0025998 A1).

With respect to claim 1, Tsuchiaki (Figs. 11(a) - 12(c)) discloses a field-effect transistor with local source-drain insulation, having a semiconductor substrate [400]; a source depression and a drain depression [see figure below], which are formed in a manner spaced apart from one another in the semiconductor substrate; a depression insulation layer [412a, 412b], which is formed at least in a bottom region of the source depression and of the drain depression; an electrically conductive filling layer [414a, 414b], which is formed for realizing source and drain regions and for filling the source and drain depressions at a surface of the depression insulation layer, wherein the electrically conductive filling layer has a seed layer for improving a deposition

in the source and drain depressions, the seed layer comprising silicon [paragraph 0143]; a gate dielectric [402], which is formed at a substrate surface between the source and drain depressions; and a gate layer [403], which is formed at a surface of the gate dielectric, wherein the source and drain depressions have, in an upper region, a widening [see figure below] with a predetermined depth for realizing defined channel connection regions.



With respect to claim 5, Tsuchiaki discloses the field-effect transistor as claimed in claim

1. Tsuchiaki (Figs. 11(a)-12(c)) further discloses a gate insulation layer [406] is formed at sidewalls of the gate layer.

With respect to claim 6, Tsuchiaki discloses the field-effect transistor as claimed in claim

1. Tsuchiaki (Figs. 11(a)-12(c)) further discloses the field-effect transistor is bounded by shallow trench isolations [401].

Art Unit: 2826

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsuchiaki.

With respect to claims 7 and 8, Tsuchiaki discloses the field-effect transistor as claimed in claim 1. Tsuchiaki does not disclose that the field-effect transistor has lateral structures < 100 nm or that the source and drain depressions have a depth of approximately 50 nm to 300 nm. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made for the field-effect transistor of Tsuchiaki to have lateral structures < 100 nm or the source and drain depressions have a depth of approximately 50 nm to 300 nm in order to miniaturize the device while suppressing the resistance. The specific claimed relative dimensions of the lateral structures or the source and drain depressions, absent any criticality, are only considered to be the "optimum" dimensions that a person having ordinary skill in the art would have been able to determine using routine experimentation based, among other things, on the desired adhesive strength, manufacturing costs, etc. (see Boesch, 205 USPQ 215 (CCPA 1980)), and since neither non-obvious nor unexpected results, *i.e.*, results which are different in kind and not in degree from the results of the prior art, will be obtained.


Accordingly, since the applicants have not established the criticality (see next paragraph below) of the stated relative thicknesses, it would have been obvious to one of ordinary skill in the art to use these values in the device of Tsuchiaki.

The specification contains no disclosure of either the critical nature of the claimed dimensions or any unexpected results arising therefrom. Where patentability is said to be based upon particular chosen dimensions or upon another variable recited in a claim, the applicant must show that the chosen dimensions are critical. *In re Woodruff*, 919 F.2d 1575, 1578, 16 USPQ2d 1934, 1936 (Fed. Cir. 1990).

Therefore, claims 7 and 8 are not patentably distinguishable over the Tsuchiaki reference.

Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Roberds in view of Murthy et al. (US 2003/0080361 A1).

With respect to claim 22, Roberds discloses the field-effect transistor as claimed in claim 2. Roberds (Figs. 1-6) discloses a gate insulation layer [22] is formed at sidewalls of the gate layer. Roberds does not specify that a spacer [26] is located laterally between the gate insulation layer and the depression sidewall insulation layer. However, Murthy et al. (Fig. 6) discloses that it is well known for a spacer [see figure below] to be located laterally between the gate insulation layer [see figure below] and the depression sidewall insulation layer [38]. It is well known for a spacer to be located laterally between the gate insulation layer and the depression sidewall insulation layer in order to further protect the gate electrode. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made for the device of Roberds to have a spacer located laterally between the gate insulation layer and the depression sidewall insulation layer, such as taught by Murthy et al. in order to further protect the gate electrode.




Claims 23-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roberds in view of Murthy et al. (US 2002/0190284 A1), hereinafter Murthy.

With respect to claim 23, Roberds discloses the field-effect transistor as claimed in claim 2. Roberds does not specify that a spacer comprises silicon nitride. Murthy (Figs. 8-14) discloses that it is well known for a spacer [326] to comprise silicon nitride [paragraph 0050]. It is beneficial for the spacer to comprise silicon nitride because of its resistance to wet etching steps. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made for the device of Roberds to comprise a spacer that comprises silicon nitride such as taught by Murthy, because of its resistance to wet etching steps.

With respect to claim 24, Roberds discloses the field-effect transistor as claimed in claim 2. Roberds does not disclose that a spacer extends into the widening. Murthy (Figs. 2, 8-14) discloses that it is well known for a field-effect transistor to comprise a spacer [213] that extends into the widening [244]. Murthy teaches that it is beneficial for a spacer to extend into the widening in order to further reduce the distance between the gate electrode and the electrically conductive filling layer, which would reduce an adverse capacitance [paragraph 0030].

Art Unit: 2826

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made for a spacer to extend into the widening in order to further reduce the distance between the gate electrode and the electrically conductive filling layer which would reduce an adverse capacitance.

**FIG. 13**

Response to Arguments

Applicant's arguments filed 20 March 2007 have been fully considered but they are not persuasive. Applicants argue that Tsuchiaki do not teach every element as defined by claim 1. Specifically, Applicants argue that Tsuchiaki does not teach a silicon or SiGe seed layer in the source and drain depressions. However, Figs. 12(a) - 12(c) and paragraph 0143 of Tsuchiaki teaches a seed layer [414a, 414b] comprising silicon in the source and drain regions.

Art Unit: 2826

Applicant's arguments with respect to claims 22-24 and Chung have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Telephone/Fax Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leslie P. Cruz whose telephone number is 571-272-8599. The examiner can normally be reached on Monday-Friday 9:00-5:30.

Art Unit: 2826

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisors, Sue A. Purvis can be reached on 571-272-1236. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



lpc